

Notice of Allowability

Application No.

10/710,609

Examiner

Brian J. Sines

Applicant(s)

TIEFENTHALER, KURT

Art Unit

1743

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the response filed 4/26/2005.
2. ☒ The allowed claim(s) is/are 1-37.
3. ☒ The drawings filed on 7/23/2004 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

DETAILED ACTION

Terminal Disclaimer

1. The terminal disclaimer filed on 5/26/2005 disclaiming the terminal portion of any patent granted on this application which would extend beyond the expiration date of U.S. Pat. No. 6,455,004 has been reviewed and is accepted. The terminal disclaimer has been recorded.
2. The terminal disclaimer filed on 4/26/2005 disclaiming the terminal portion of any patent granted on this application which would extend beyond the expiration date of U.S. Pat. No. 6,787,10 has been reviewed and is accepted. The terminal disclaimer has been recorded.

Allowable Subject Matter

Claims 1 – 37 are allowed.

The following is an examiner's statement of reasons for allowance:

The cited prior art neither teach nor fairly suggest a sensor chip for being used in an optical sensor for the characterization or detection or detection and characterization of at least one chemical or bio-chemical or chemical and bio-chemical substance, comprising a waveguide comprising a substrate and waveguiding material provided thereon, the substrate defining a substrate side of the waveguiding material, a side of the waveguiding material opposed to the substrate side being a cover medium side, and a waveguide grating structure comprising at least one waveguide grating structure unit, wherein the waveguide and the waveguide grating structure are operable to emit light proportions towards the substrate side or the cover medium side or the substrate side and the cover medium side when light impinges on the waveguide grating structure, wherein the waveguide grating structure unit comprises at least two sensing pads, each comprising at least one unidiffractive or multidiffractive grating and a bio-

Art Unit: 1743

chemosensitive or chemosensitive or bio-chemosensitive and chemosensitive substance, and wherein at least one of the following two conditions holds:

- (a) the lightwaves guided in the two sensing pads differ in at least one of their polarization, of their mode number and of their wavelength; or
- (b) the bio-chemosensitive or chemosensitive or bio- chemosensitive and chemosensitive substances show different specificities or the bio-chemosensitive or chemosensitive or bio-chemosensitive and chemosensitive substance of one sensing pad shows no specificity.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."


Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brian J. Sines, Ph.D. whose telephone number is (571) 272-1263. The examiner can normally be reached on Monday - Friday (11 AM - 8 PM EST).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jill A. Warden can be reached on (571) 272-1267. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 1743

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Jill Warden
Supervisory Patent Examiner
Technology Center 1700